

## Electric wire hoist for lifting and pulling 230 V / 50 Hz



### Product information

Light and easy to operate electrical winch for pulling and lifting. Equipped with remote control, latch hook and overload indicator.

**Note! Cable operating lengths:**

VANOS250: 6,8 m

VANOS450: 3,4 m

**Features:** Speed 5 m/min | Remote control range 8 m (unobstructed view)

**Marking:** CE-marked

Part Code	WLL ton	Operation voltage (V)	Motor kW	Cable length m	Weight kg
VANOS250	0.25	230	1.2	8	7
VANOS450	0.45	230	1.2	4.6	7

### Technical data

### SPARE PARTS



Spare part (product code)	Description	Suitable for hoist (product code/-s)
VANOSVAI8	Wire rope 8 m   $\varnothing$ 4,8 mm, effective working length 6,8 m   Incl. drum	VANOS250
VANOSVAI4,6	Wire rope 4,6 m   $\varnothing$ 5,8 mm, effective working length 3,4 m   Incl. drum	VANOS450
VANOSKAUKO	Remote control   Part no. 55	VANOS250, VANOS450
VANOSHIILI	Coal	VANOS250, VANOS450
VANOSVO3	Spline shaft   Part no. 3	VANOS250, VANOS450

VANOSVO20

Circuit board set | Part no. 20

VANOS250, VANOS450

VANOSVO25

Power cord set | Part nos. 25 and 28 (plastic snap ring)

VANOS250, VANOS450

VANOSVO41

Pressure plate | Part no. 41

VANOS250, VANOS450

VANOSVO52

Pressure plate's tension spring | Part no. 52

VANOS250, VANOS450

Also other spare parts  
available with a delivery  
time, ask our sales for  
more information

## Blueprint

