



## Hand pallet truck 2500/1500 kg side-shift model

### Product information

Side-sift high quality pallet truck, equipped with tandem wheels in front and it's light to push and move. The sideshift will activated when the forks are raised to a height of 180 mm. 210° turning angle enables easy moving and maintenance free hydraulics unit ensures care-free use.

Haklift has Finland's largest selection of hand pallet trucks of different types directly from stock.

**Features:** Wheels: Nylon

**Material:** Steel

**Marking:** CE-marked

**Note:** Side sift load 1500 kg

| Part Code  | WLL<br>ton | Width of forks<br>mm | Length of forks<br>mm | Minimum height of fork<br>mm | Weight<br>kg |
|------------|------------|----------------------|-----------------------|------------------------------|--------------|
| HAVA2012SS | 2          | 540                  | 1,150                 | 85                           | 75           |

### Technical data

## SPARE PARTS

| Spare part (product code) for *old model | Spare part (product code) for *new model | Description                      | Suitable for hand pallet truck (product code) |
|--|--|----------------------------------|---|
| HAVA25ISO                                | HAVA25ISOS                               | Big steering wheel, nylon        | HAVA2012SS                                    |
| HAVA2012SSVOB35 / HAVA25TELI             | HAVA2012SSETUPYORAS                      | Fork front wheel, nylon          | HAVA2012SS                                    |
| HAVA2012SSVOB51                          | HAVA2012SSSIVUPYORAS                     | Fork side-shift wheel, nylon     | HAVA2012SS                                    |
| HAVA2012SSVOB46                          | n/a                                      | Wheel stand tension spring (#46) | HAVA2012SS                                    |

Also other spare parts available with a delivery time, ask our sales for more information



