



## Eye sling hook with latch, grade 100

### Product information

Hook is equipped with spring loaded safety latch.

**Material:** Steel

**Marking:** CE-marked

**Temperature range:** -40 - (+)200°C / 400°C = WLL 75%

**Finish:** Painted, blue

**Warning:** Not to be heat-treated

**Safety factor:** 4:1

**Grade:** 10

Part Code	WLL ton	For chain dia. mm	P mm	A mm	K mm	H mm	Weight kg
SALKA1006	1.4	6	18	20	80	21	0.32
SALKA1078	2.5	8	25	25	98	27	0.6
SALKA1010	4	10	28	34	120	33	1.2
SALKA1013	6.7	13	38	43	152	43	2.2
SALKA1016	10	16	44	50	183	50	3.5
SALKA1020	16	20	52	55	217	56	7.15
SALKA1022	19	22	66	60	241	62	11.5

## Technical data

## SPARE PARTS

Spare part set (product code)   Inc. latch, spring and pin/nut	Fits the hook (product code)
SALKAVO1006S	SALKA1006
SALKAVO1078S	SALKA1078
SALKAVO1010S	SALKA1010
SALKAVO1013S	SALKA1013
SALKAVO1016S	SALKA1016
SALKAVO1020S	SALKA1020
SALKAVO1022S	SALKA1022

## Blueprint

