



## Round slings assemblies 4-legs

### Product information

Lighter alternative to a chain combination in, for example, transformer lifting without risk of insulator damage etc. Also available with self-locking hooks, rotating swivel hooks, shackles etc.

**Features:** RFID-ready

**Material:** 100% polyester

**Marking:** CE-marked

**Temperature range:** -40°C - +100 °C

**Safety factor:** 4:1

| Part Code | WLL ton |
|-----------|---------|
| PRK1401   | 2.1     |
| PRK1401.5 | 2.1     |
| PRK1402   | 2.1     |
| PRK1402.5 | 2.1     |
| PRK1403   | 2.1     |
| PRK1404   | 2.1     |

|           |      |
|-----------|------|
| PRK2401   | 4.2  |
| PRK2401.5 | 4.2  |
| PRK2402   | 4.2  |
| PRK2402.5 | 4.2  |
| PRK2403   | 4.2  |
| PRK2404   | 4.2  |
| PRK3401   | 6.3  |
| PRK3401.5 | 6.3  |
| PRK3402   | 6.3  |
| PRK3402.5 | 6.3  |
| PRK3403   | 6.3  |
| PRK3404   | 6.3  |
| PRK5401   | 10.5 |
| PRK5401.5 | 10.5 |
| PRK5402   | 10.5 |
| PRK5402.5 | 10.5 |
| PRK5403   | 10.5 |
| PRK5404   | 10.5 |
| PRK8402   | 17   |
| PRK8402.5 | 17   |
| PRK8403   | 17   |
| PRK8404   | 17   |
| PRK8405   | 17   |

