



## Round slings assemblies 2-legs

### Product information

Lighter alternative to a chain combination in, for example, transformer lifting without risk of insulator damage etc. Also available with self-locking hooks, rotating swivel hooks, shackles etc.

**Features:** RFID-ready

**Material:** 100% polyester

**Marking:** CE-marked

**Temperature range:** -40°C - +100 °C

**Safety factor:** 4:1

| Part Code | WLL ton |
|-----------|---------|
| PRK1201   | 1.4     |
| PRK1201.5 | 1.4     |
| PRK1202   | 1.4     |
| PRK1202.5 | 1.4     |
| PRK1203   | 1.4     |
| PRK1204   | 1.4     |

|           |      |
|-----------|------|
| PRK2201   | 2.8  |
| PRK2201.5 | 2.8  |
| PRK2202   | 2.8  |
| PRK2202.5 | 2.8  |
| PRK2203   | 2.8  |
| PRK2204   | 2.8  |
| PRK3201   | 4.2  |
| PRK3201.5 | 4.2  |
| PRK3202   | 4.2  |
| PRK3202.5 | 4.2  |
| PRK3203   | 4.2  |
| PRK3204   | 4.2  |
| PRK5201   | 7    |
| PRK5201.5 | 7    |
| PRK5202   | 7    |
| PRK5202.5 | 7    |
| PRK5203   | 7    |
| PRK5204   | 7    |
| PRK8202   | 11.2 |
| PRK8202.5 | 11.2 |
| PRK8203   | 11.2 |
| PRK8204   | 11.2 |
| PRK8205   | 11.2 |

