

Webbing slings 0,5 - 35 t



Product information

Double layer Duplex webbing slings 0,5 - 35 t. Folded reinforced eyes as standard and also available with flat eye.

Note! Standard dimensional tolerance is $\pm 3\%$. Lengths can vary within the tolerance range!

Thanks to our own production unit, we can also make quick deliveries of special types and lengths as well as lifting slings with higher WLL UP TO 35t.

Features: RFID-ready

Material: 100% polyester

Marking: According to standard, CE-marked

Temperature range: -40°C - +100 °C

Standard: EN 1492-1

Note: Color coded

Safety factor: 7:1

Part Code	WLL ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	EWL m	Webbing width mm	Packing	Colour	Packing
SNV0501	0.5	0.4	1	0.7	0.5	1	25	100	White	100
SNV0502	0.5	0.4	1	0.7	0.5	2	25	50	White	50
SNV0503	0.5	0.4	1	0.7	0.5	3	25	40	White	40
SNV0504	0.5	0.4	1	0.7	0.5	4	25	35	White	35

SNV0505	0.5	0.4	1	0.7	0.5	5	25	25	White	25
SNV0506	0.5	0.4	1	0.7	0.5	6	25	-	White	-
SNV0508	0.5	0.4	1	0.7	0.5	8	25	-	White	-
SNV0510	0.5	0.4	1	0.7	0.5	10	25	-	White	-
SNV05XX	0.5	0.4	1	0.7	0.5	-	25	-	White	-
SNV101	1	0.8	2	1.4	1	1	50	40	violet	40
SNV102	1	0.8	2	1.4	1	2	50	30	violet	30
SNV103	1	0.8	2	1.4	1	3	50	24	violet	24
SNV104	1	0.8	2	1.4	1	4	50	20	violet	20
SNV105	1	0.8	2	1.4	1	5	50	18	violet	18
SNV106	1	0.8	2	1.4	1	6	50	15	violet	15
SNV108	1	0.8	2	1.4	1	8	50	15	violet	15
SNV110	1	0.8	2	1.4	1	10	50	10	violet	10
SNV1XX	1	0.8	2	1.4	1	-	50	-	violet	-
SNV201	2	1.6	4	2.8	2	1	60	50	Green	50
SNV202	2	1.6	4	2.8	2	2	60	30	Green	30
SNV203	2	1.6	4	2.8	2	3	60	25	Green	25
SNV204	2	1.6	4	2.8	2	4	60	20	Green	20
SNV205	2	1.6	4	2.8	2	5	60	15	Green	15
SNV206	2	1.6	4	2.8	2	6	60	15	Green	15
SNV208	2	1.6	4	2.8	2	8	60	12	Green	12
SNV210	2	1.6	4	2.8	2	10	60	10	Green	10
SNV2XX	2	1.6	4	2.8	2	-	60	-	Green	-

SNV301	3	2.4	6	4.2	3	1	90	35	yellow	35
SNV302	3	2.4	6	4.2	3	2	90	18	yellow	18
SNV303	3	2.4	6	4.2	3	3	90	15	yellow	15
SNV304	3	2.4	6	4.2	3	4	90	12	yellow	12
SNV305	3	2.4	6	4.2	3	5	90	9	yellow	9
SNV306	3	2.4	6	4.2	3	6	90	9	yellow	9
SNV308	3	2.4	6	4.2	3	8	90	6	yellow	6
SNV310	3	2.4	6	4.2	3	10	90	6	yellow	6
SNV3XX	3	2.4	6	4.2	3	-	90	-	yellow	-
SNV401	4	3.2	8	5.6	4	1	120	12	Grey	12
SNV402	4	3.2	8	5.6	4	2	120	12	Grey	12
SNV403	4	3.2	8	5.6	4	3	120	10	Grey	10
SNV404	4	3.2	8	5.6	4	4	120	8	Grey	8
SNV405	4	3.2	8	5.6	4	5	120	6	Grey	6
SNV406	4	3.2	8	5.6	4	6	120	6	Grey	6
SNV408	4	3.2	8	5.6	4	8	120	4	Grey	4
SNV410	4	3.2	8	5.6	4	10	120	3	Grey	3
SNV4XX	4	3.2	8	5.6	4	-	120	-	Grey	-
SNV502	5	4	10	7	5	2	150	10	Red	10
SNV503	5	4	10	7	5	3	150	8	Red	8
SNV504	5	4	10	7	5	4	150	6	Red	6
SNV505	5	4	10	7	5	5	150	6	Red	6
SNV506	5	4	10	7	5	6	150	4	Red	4

SNV508	5	4	10	7	5	8	150	4	Red	4
SNV510	5	4	10	7	5	10	150	4	Red	4
SNV5XX	5	4	10	7	5	-	150	-	Red	-
SNV602	6	4.8	12	8.4	6	2	180	8	Brown	8
SNV603	6	4.8	12	8.4	6	3	180	6	Brown	6
SNV604	6	4.8	12	8.4	6	4	180	4	Brown	4
SNV605	6	4.8	12	8.4	6	5	180	4	Brown	4
SNV606	6	4.8	12	8.4	6	6	180	3	Brown	3
SNV608	6	4.8	12	8.4	6	8	180	3	Brown	3
SNV610	6	4.8	12	8.4	6	10	180	2	Brown	2
SNV6XX	6	4.8	12	8.4	6	-	180	-	Brown	-
SNV802	8	6.4	16	11.2	8	2	240	4	Blue	4
SNV803	8	6.4	16	11.2	8	3	240	4	Blue	4
SNV804	8	6.4	16	11.2	8	4	240	3	Blue	3
SNV805	8	6.4	16	11.2	8	5	240	3	Blue	3
SNV806	8	6.4	16	11.2	8	6	240	2	Blue	2
SNV808	8	6.4	16	11.2	8	8	240	2	Blue	2
SNV810	8	6.4	16	11.2	8	10	240	2	Blue	2
SNV820	8	6.4	16	11.2	8	20	240	-	Blue	-
SNV8XX	8	6.4	16	11.2	8	-	240	-	Blue	-
SNV1002	10	8	20	14	10	2	300	-	Orange	-
SNV1003	10	8	20	14	10	3	300	3	Orange	3
SNV1004	10	8	20	14	10	4	300	3	Orange	3

SNV1005	10	8	20	14	10	5	300	2	Orange	2
SNV1006	10	8	20	14	10	6	300	2	Orange	2
SNV1008	10	8	20	14	10	8	300	2	Orange	2
SNV1010	10	8	20	14	10	10	300	2	Orange	2
SNV1020	10	8	20	12	10	20	300	-	Orange	-
SNV10XX	10	8	20	14	10	-	300	-	Orange	-
SNV1204	12	9.6	24	16.8	12	4	300	-	Orange	-
SNV1205	12	9.6	24	16.8	12	5	300	-	Orange	-
SNV1206	12	9.6	24	16.8	12	6	300	-	Orange	-
SNV1208	12	9.6	24	16.8	12	8	300	-	Orange	-
SNV1210	12	9.6	24	16.8	12	10	300	-	Orange	-
SNV1220	12	9.6	24	16.8	12	20	300	-	Orange	-
SNV12XX	12	9.6	24	16.8	12	-	300	-	Orange	-