



Open Wedge Socket With Safety Bolt G-6423

Product information

The Green Pin[®] Open Wedge Socket BN is an open wedge socket with a safety bolt. The socket offers a double safety (split pin and safety bolt) which prevents accidental unscrewing of the pin. The socket is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin[®] Open Wedge Socket BN is available for wire rope with a diameter from 7-8 up to 40-42 mm.

Material: high tensile steel

Marking: According to standard, CE-marked

Temperature range: -40°C up to +200°C

Finish: hot dipped galvanized

Standard: EN 13411-6

Part Code	Rope Ø range mm	MBL ton	Finish	Number	a mm	b mm	c mm	d mm	e mm	f mm	g mm	Weight kg
KII010	7-8	8	Galvanized	0.25	128	110	51	18	16	9	36	0.87
KII015	9-10	12	Galvanized	0.5	165	142	62	20.5	21	11	46	1.8
KII025	11-13	20	Galvanized	1	175	146	66	25	25	12	57	2.68
KII040	14-16	25	Galvanized	2	211	176	82	31	30	15	70	4.7
KII050	18-19	40	Galvanized	3	252	212	95	38	35	16	80	8.1
KII070	20-22	55	Galvanized	4	288	240	110	44	41	19	95	12
KII100	24-26	75	Galvanized	5	329	274	130	51	51	22	110	17.9
KII120	27-29	90	Galvanized	6	375	310	144	57	57	25	130	23.7
KII160	30-32	110	Galvanized	7	423	350	155	63	64	28	146	33
KII180	34-36	125	Galvanized	8	474	400	163	69	64	28	148	42

Blueprint

