

Tipping skips / containers

Product information



- practical tool for handling industrial and real estate waste
- automatic tipping by driving towards as standard (also manual operation)
- can be operated with forklifts and pallet trucks
- tipping skip can also be ordered with a fork lock. Ask more from our sales! (cannot be installed afterwards)
- standard stock color blue RAL5019

See material thicknesses under the technical data tab.

Also other colors available (delivery time 3-4 weeks)

Red: RAL 3020

Yellow: RAL 1021

Green: RAL 6032

Brown: RAL 8017

Black: RAL 9005

Orange: RAL 2008

Grey: RAL 7042

White: RAL 9010

Material: Steel

Marking: CE-marked

Finish: Painted

Part Code	Length mm	Height mm	Width mm	Capacity kg	Volume liter	Weight kg
KK150	815	580	760	1,200	130	55
KK300	1,235	750	840	1,500	320	80
KK600	1,525	870	865	2,000	520	101
KK900	1,525	870	1,215	2,000	765	122
KK1100	1,700	1,045	1,215	2,000	1,030	157
KK1600	2,073	1,248	1,066	2,000	1,340	205
KK2000	2,073	1,248	1,316	2,000	1,700	253
KK3000	2,073	1,248	1,866	2,000	2,500	321

Technical data

MATERIAL THICKNESS

Product code	Side (mm)	Front (mm)	Bottom (mm)	Bracket (mm)
KK150	2,0	2,0	2,0	2,5
KK300	2,0	2,0	2,0	2,5
KK600	2,0	2,0	2,0	2,5
KK900	2,0	2,5	2,5	2,5
KK1100	2,0	2,5	2,5	3,0
KK1600	2,5	2,5	2,5	3,0
KK2000	3,0	3,0	3,0	3,0
KK3000	3,0	3,0	3,0	4,0