

Tipping skips / containers

Product information



- practical tool for handling industrial and real estate waste
- automatic tipping by driving towards as standard (also manual operation)
- can be operated with forklifts and pallet trucks
- tipping skip can also be ordered with a fork lock. Ask more from our sales! (cannot be installed afterwards)
- standard stock color blue RAL5019

See material thicknesses under the technical data tab.

Also other colors available (delivery time 3-4 weeks)

Red: RAL 3020

Yellow: RAL 1021

Green: RAL 6032

Brown: RAL 8017

Black: RAL 9005

Orange: RAL 2008

Grey: RAL 7042

White: RAL 9010

Material: Steel

Marking: CE-marked

Finish: Painted

| Part Code | Length mm | Height mm | Width mm | Capacity kg | Volume liter | Weight kg |
|-----------|-----------|-----------|----------|-------------|--------------|-----------|
| KK150 | 815 | 580 | 760 | 1,200 | 130 | 55 |
| KK300 | 1,235 | 750 | 840 | 1,500 | 320 | 80 |
| KK600 | 1,525 | 870 | 865 | 2,000 | 520 | 101 |
| KK900 | 1,525 | 870 | 1,215 | 2,000 | 765 | 122 |
| KK1100 | 1,700 | 1,045 | 1,215 | 2,000 | 1,030 | 157 |
| KK1600 | 2,073 | 1,248 | 1,066 | 2,000 | 1,340 | 205 |
| KK2000 | 2,073 | 1,248 | 1,316 | 2,000 | 1,700 | 253 |
| KK3000 | 2,073 | 1,248 | 1,866 | 2,000 | 2,500 | 321 |

Technical data

MATERIAL THICKNESS

| Product code | Side (mm) | Front (mm) | Bottom (mm) | Bracket (mm) |
|--------------|-----------|------------|-------------|--------------|
| KK150 | 2,0 | 2,0 | 2,0 | 2,5 |
| KK300 | 2,0 | 2,0 | 2,0 | 2,5 |
| KK600 | 2,0 | 2,0 | 2,0 | 2,5 |
| KK900 | 2,0 | 2,5 | 2,5 | 2,5 |
| KK1100 | 2,0 | 2,5 | 2,5 | 3,0 |
| KK1600 | 2,5 | 2,5 | 2,5 | 3,0 |
| KK2000 | 3,0 | 3,0 | 3,0 | 3,0 |
| KK3000 | 3,0 | 3,0 | 3,0 | 4,0 |