



Pulley Man PM300-600

Product information

The Pulley Man, with its 4 kg, is easy to carry. This winch can be installed in three ways, rotates 360 degrees and has an infinite cable.

- Light weight and portable
- Suitable to lift loads up to 600 kg (PM600)
- Suitable to pull loads up to 3000 kg
- Can be used with a cordless drill and power drill
- Possible to rotate the load 360°
- Cable length unlimited in traction.
- Cable length limited to 50 m in lifting (beyond 12 m, loss of 10% of lifting force per 10 m section).
- Standard rope length 12 meters
- Patented self-braking reduction brake
- 1 layer of paint

Marking: CE-marked

Note: See the pulling capacities in the technical data tab

| Part Code | WLL ton | Lifting height m | Lifting speed m/min | Number of falls | Model | Weight kg |
|-----------|---------|------------------|---------------------|-----------------|-------|-----------|
| PM300 | 0.3 | 12 | 6 | 1 | PM300 | 5 |
| PM600 | 0.6 | 12 | 3 | 2 | PM600 | 6 |

Technical data

Maximum loading capacity at wheeled traction on a plane surface depending on the slope

| Gradient | PM300 kg | PM600 kg |
|-----------------|---------------------|---------------------|
| 6° | 1500 | 3000 |
| 12° | 975 | 1950 |
| 16° | 825 | 1650 |
| 27° | 585 | 1170 |
| 35° | 450 | 900 |

Blueprint

